

HEAD OFFICE

303 Church Street
Private Bag X 44
MOGWADI 0715
Telephone: (015) 501 0243/4
Fax no : (015) 501 0419
E-mail: info@molemole.gov.za



MOREBENG BRANCH OFFICE

25 Cnr. Roets & Viviers Street
MOREBENG 0810
Telephone : (015) 501 2371
Fax no : (015) 397 4334

www.molemole.gov.za

ALL CORRESPONDENCE TO BE ADDRESSED TO THE MUNICIPAL MANAGER

Enquiry: Ralephenya T.D

TECH-022-2023/24

SUPPLY CHAIN MANAGEMENT UNIT

INVITATION TO BID

ADDENDUM

Project Name	Project Number
Design and Construct of Ga Moleele culvert bridge and stormwater control	Tech-022-2023/24

This communique serves to clarify bidders on **evaluation on functionality** and **Bill of Quantities** in the original tender document. Bidders are advised to ignore the **evaluation on functionality on page 26 to 27** and **Bill of Quantities on page 62 to page 68** in the original document and consider the following **Evaluation on functionality and Bill of Quantities/ Pricing Schedule**.

The closing date for the bid is 08 March 2024

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

Evaluation on Functionality

Criteria	Weights	Applicable values
Company Experience	40	Poor = 1
Company Experience in Design of Culvert Bridges	10	Average = 2
<p>2x Successfully completed traceable projects in design of roads, storm water and bridges.(attach 2 appointment letters and bidders assessment form for each appointment) Turnkey appointment shall be rewarded on both design and construction</p>		Good = 3
		Very good = 4
		Excellent = 5
Company experience in Construction of Culvert Bridges	30	
<p>3x Successfully completed traceable projects in construction of roads, storm water and bridges(attach 3 appointment letters, completion certificates on the clients letter head and bidders assessment forms for each appointment)</p> <p>Turnkey appointment shall be rewarded on both design and construction projects.</p>		
Plant and equipment	20	
<p>Plant and equipment</p> <ul style="list-style-type: none"> • 1x Grader • 1x Smooth drum roller(15 ton) • 2x (10m³) tipper trucks • 1x water tankers (9 000 litter or larger) • 1x TLB/ Loader • 1x 40ton Excavator <p>This equipment can be owned or rented. Attach proof of ownership and intention to lease letter/agreement if renting.</p>		
Proposed key personal (4)	35	
<p><u>Design Engineer (10)</u> Attach the following:</p> <ul style="list-style-type: none"> • CV indicating a minimum of fifteen (15) years' proven experience in Design and supervising projects of roads, storm water and bridges. • Certified copy of B-Tech/BSc/BEng : Civil Engineering, • Certified copy of EPWP LI (NQF 7" Manage Labour- Intensive Construction Processes") • Certified copy of ECSA Registration certificates as Pr. Technologist or Engineer. <p><u>Resident Engineers(10)</u> Attach the following</p> <ul style="list-style-type: none"> • CV indicating a minimum of ten (10) years proven experience in construction supervision and managing projects of roads, storm water ad bridges • Certified copy of B-Tech/BSc/BEng : Civil Engineering • NQF Level 5 Certificate for managing LIC civil Projects 		

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

<ul style="list-style-type: none"> • Certified copy of ECSA Registration certificate as Pr. Technologist or Engineer. <p><u>Site Agent (10)</u> Attach the following:</p> <ul style="list-style-type: none"> • CV indicating a minimum of ten (10) years' proven experience in Construction and managing projects of roads, storm water and bridges • Certified copy of National Diploma : Civil engineering. • NQF Level 5 Certificate for managing LIC civil Projects • Certified copy of ECSA Registration certificate as Pr. Technologist or Engineer <p><u>OHS and Environmental Officer (5)</u> Attach the following: CV indicating 5 years' experience in construction related projects Certified copy of Occupational health and safety certificate</p>	
Financial viability	5
Bank rating of C or higher	
Total functionality Score	100

The Municipality reserves the right to verify the authenticity of the attachments relating to the above. Bidders will be disqualified and possible legal action will be taken if it can be found that a bidder submitted fake documents

Stage 2: Evaluation on Price and Specific Goals

Bidders must attach following supporting documents to claim points. Failure to attach the valid documents points shall not disqualify the Bidder from further evaluation; but only points will be forfeited.

Preference Points for specific Goals	Means of Verification	Points
People or Business residing within Molemole Local Municipality	Statement of municipal rates or Proof of residents from Traditional Authority	5
Woman-ownership of more than 50%	Identification Document and Company and Intellectual Property Commission (CIPC) document.	5
People with Disability	Medical Report indicating Disability	5
Youth (18 to 34 years)	Identification Document	5

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

BID SPECIFICATION

Technical Specification/ Terms of reference

Design and Construct of Ga-Moleele Culvert Bridge (1800mmheight x 1800mm width concrete culvert bridge) and Stormwater control (300m) within, must have the following minimum specifications or more, similarly approved

SCHEDULE OF QUANTITIES FOR: PRICING SCHEDULE

SECTION A: DESIGNS

ITEM NO	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUNT
A1	Provision of Designs				
	a) provision of a concrete culvert bridge design (1800mm x 1800mm) including all concrete works	no	1		
	b) provision of a concrete stormwater channel design (300m x 1.5m x 0.1m)	no	1		
	d) provision of a set of four working drawings of the three above items	no	4		
A2	e) Project management and fulltime supervision during construction stage. (Full-time supervision as described on the government gazette Vol.594, 12 December 2014 under clause 3.3.2 (6)(c)(i),(ii) and (iii)	no	1		
TOTAL SECTION 1200 CARRIED TO SUMMARY:					

SECTION 1200: GENERAL REQUIREMENTS AND PROVISIONS

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
12,02	Community Liaison Officer(s)				
	a) Remuneration of Liaison Officer(s)	Month	5	5 000,00	R 25 000,00
	b) Contractor's charge to allow for handling costs and profit in respect of sub-item 12.02 (a)	%		10%	
	Project Steering Committee Progress Meeting sitting allowance				
	a) PSC Sitting Allowance (4 PSC Members)	Month	5	1 600,00	R 8 000,00
12,02	b) Contractor's charge to allow for handling costs and profit in respect of sub-item 12.02 (a)	%		10%	
12,05	Cost of Royalties and land expropriation	Prov Sum	1,00	50 000,00	R 50 000,00
12,06	Project Name Board	No	1		
TOTAL SECTION 1200 CARRIED TO SUMMARY:					

SECTION 1300: CONTRACTOR'S ESTABLISHMENT ON SITE AND GENERAL OBLIGATIONS

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
B13.01	The contractors general obligations:				
	(a) Fixed obligations	Lump sum	1		
	(b) Value-related obligations	Lump sum	1		
	(c) Time related obligations	Month	5		
	The combined total tendered for sub-items (a), (b) and (c) shall not exceed 15% of the tender sum				
TOTAL SECTION 1300 CARRIED TO SUMMARY:					

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

SECTION 1500: ACCOMMODATION OF TRAFFIC					
ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
15,01	Accommodating traffic and maintaining temporary deviations.	no	1		
15,03	Temporary traffic-control facilities: [The cost for the replacement of damaged or stolen signs or facilities shall be included in the rates under Item B15.03.]				
(a)	Flagmen.	man-day	88,00		
(b)	Portable STOP and GO-RY signs.	No	4,00		
(d)	Amber flicker lights.	No	4,00		
(e)	Road signs, R- and TR-series (1200 mm).	No	4,00		
(f)	Road signs, TW-series. (1500 mm)	No	8,00		
(g)	Road signs, STW-, DTG-, TGS- AND TG-series. (Excluding delineators and barricades)	m2	8,00		
(h)	Delineators (200 mm x 800 mm):	No			Rate only
(h)(ii)	Delineators mounted back to back.	No	16,00		
(i)	Movable barricade/road sign combination with an effective width of 6 meters.	No.	8,00		
(j)	Traffic cones - 750 mm.	No.	16,00		
(k)	Provision of high visibility safety jackets and safety hats.	No	20,00		
15,05	Gravelling and repair of temporary deviations and existing gravel shoulders used as temporary deviations:				
(b)	Existing gravel shoulders. [The rate shall include full compensation for all work required to construct, re-gravel and repair the existing shoulder to be used as a temporary deviation.]	m3			Rate only
15,06	Watering of temporary deviations.	kl	18 000,00		

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

SUB-TOTAL SECTION 1500 CARRIED FORWARD:					

SCHEDULE B: ROADWORKS
SECTION 2200: PREFABRICATED CULVERTS

ITEMS	LI	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
2200		PREFABRICATED CULVERTS				
B22.01		Excavation:				
		(a) Excavating soft material situated within the following depth ranges below the surface level:				
	LI	(i) 0 m up to 2.0m	m3	52		
		(ii) Exceeding 1,5m and up to 3,0m	m3	7		
		(iii) Exceeding 3,0m and up to 4,5m	m3	-		Rate Only
		(b) Extra over item B22.01(a) for excavation in hard material, irrespective of depth	m3	-		Rate Only
22.02		Backfilling:				
	LI	(a) Using the excavated material	m3	32		
	LI	(b) Using imported selected material:				
		(i) Granular material	m3	-		Rate Only
	LI	(c) Extra over sub items B22.02 (a) and (b)(i) for soil cement back-filling: (4% of Portland cement by volume)	m3	14		

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

2200	TOTAL CARRIED FORWARD				
------	-----------------------	--	--	--	--

SCHEDULE B: ROADWORKS
SECTION 2200: PREFABRICATED CULVERTS

ITEMS	LI	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
TOTAL BROUGHT FORWARD						
22.05		Portal and rectangular culverts (b) without prefabricated floor slabs complying with SANS 986 (iv) 1800mm x 1800mm	m	30		
B22.07		Cast in – situ concrete and formwork				
		In floor slabs for portal or rectangular culverts, including formwork and Class U2 surface finish:				
	LI	(i) Class 25/19 concrete In inlet and outlet structures, catchpits, manholes, thrust blocks and anchor blocks, excluding formwork but including Class U2 surface finish	m3	21		
22.08	LI	Concrete backfill for culverts, class 15/19 Steel reinforcement:	m3	-		Rate Only
	LI	(a) Mild steel bars	t	-		Rate Only
	LI	(b) High tensile steel bars	t	-		Rate Only
	LI	(c) Welded steel fabric	kg	1100		
22.14	LI	Removing and stacking existing pipes (all sizes)	M	30		
22.15	LI	Guardrails and necessary bridge signage				
		(a) Guardrails on timber posts: (a) Galvanized	m	200		
		(b) Bridge adaptors	no	8		
		(c) Pedestrian Walkway structure	m	20		

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

2200	TOTAL CARRIED FORWARD	
------	-----------------------	--

SECTION 2300: CONCRETE KERBING, CONCRETE CHANNELLING, CHUTES AND DOWN PIPES, AND CONCRETE LININGS FOR OPEN DRAINS

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
23,01	Concrete kerbing: (Stormwater Control Channel of 300m long, 1.5m wide and 100mm high)				
23,07	Trimming of excavations for concrete-lined open drains:				
(a)	In soft material.	m ³	7000,00		
(b)	In hard material.	m ³	1000,00		
23,08	(Stormwater Control Channel of 300m) Concrete lining for open drains:				
(a)	Cast in situ concrete lining - Type I concrete side drain, concrete Class 30/19	m ³	2400,00		
(b)	Class U2 surface finish to cast in situ concrete for Type I concrete side drain.	m ²	2000,00		
23,09	Formwork to cast in situ concrete lining for open drains - Class F2 surface finish:				
(a)	To sides with formwork on internal face only.	m ²	2000,00		
(c)	To ends of slabs.	m ²	2500,00		
23,10	Gabions				
(a)	Galvanized gabion boxes (i) Length 1 m, depth 1 m width 2 m and nominal diameter of mesh wire 2.7 mm, mesh size 80 mm x 100 mm	m ³	200		
(c)	Galvanized gabion mattresses	m ³	200		

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

	(j) 0,3 mm deep, width 1 m, length 2 m mesh size 80 mm x 100 mm nominal diameter of mesh size 2,2 mm, and 1 m diaphragm spacing				
23,11	(d) Filter fabric (kaytech grade A4 or similar)	m ²	800		
23,12	Stone Pitching Cast in situ stone pitching for protection against soil erosion	m ³	400		
	Steel Reinforcement c High tensile steel Mesh, Ref. 245	t	15		
TOTAL SECTION 2300 CARRIED TO SUMMARY:					

SECTION 3300: MASS EARTHWORKS

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
33,01					
33.10	Backfilling preparation and the compaction of material: [The rate shall provide for all costs to cover restricted works for half width construction. The roadbed depth is 150 mm.]				
(a)	Compaction to 93% of modified AASHTO density.	m ³	4 140		
(b)	In-Situ Gravel selected layer compacted to:				
(b)(i)	93% of modified AASHTO density with a compacted layer thickness of 200 mm.	m ³	5 520		
TOTAL SECTION 3300 CARRIED TO SUMMARY:					

SECTION 5900: FINISHING AND REHABILITATION OF THE SITE

ITEM NO	DESCRIPTION	UNIT	QUANTIT Y	RATE	AMOUNT
59.01	Finishing and Rehabilitation of the site:	no	1		
TOTAL SECTION 5900 CARRIED TO SUMMARY:					

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

SECTION 9400: OCUPATIONAL HEALTH AND SAFETY					
ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
B9400	OCCUPATIONAL HEALTH AND SAFETY				
B94.01	Preparation of Contractor's site-specific Health and Safety Plan	Sum	1		
B94.02	Principal Contractor's initial obligations in respect of the OHS Act and Construction Regulations	Sum	1		
B94.03	Principal Contractor's time related obligations in respect of the OHS Act and Construction Regulations.	month	5		
B94.04	Provision of full time Construction Health and Safety Officer	Sum	1		
B94.05	Submission of the Health and Safety File	Lump Sum	1		
TOTAL SECTION 9400 CARRIED TO SUMMARY:					

SUMMARY OF SCHEDULE OF QUANTITIES		
SECTION REFERENCE	SECTION DESCRIPTION	AMOUNT
A	PROVISION OF DESIGNS	
1200	GENERAL REQUIREMENTS AND PROVISIONS	
1300	CONTRACTOR'S ESTABLISHMENT ON SITE AND OBLIGATIONS	
1500	ACCOMMODATION OF TRAFFIC	
2200	PREFABRICATED CULVERTS	
2300	CONCRETE KERBING, CONCRETE CHANNELLING, CHUTES AND DOWN PIPES, AND CONCRETE LININGS FOR OPEN DRAINS	
3100	BORROW MATERIALS	
3300	MASS EARTHWORKS	
5900	FINISHING AND REHABILITATION OF THE SITE	
B9400	OCCUPATIONAL HEALTH AND SAFETY	
TOTAL VALUE OF WORK:		
CONTINGENCIES 10%		
SUB-TOTAL OF CONSTRUCTION WORKS AMOUNT:		

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner

VALUE ADDED TAX: [15%]	
TOTAL CONSTRUCTION AMOUNT AS PER FORM OF OFFER (This should be the same bid amount in the front page) NB: This grand total amount appear on the cover of the tender document (this amount will be used for evaluation purposes)	

Vision: A developmental people driven organization that serves its people

Mission: To provide essential and sustainable services in an efficient and effective manner