#### HEAD OFFICE

. ;

303 Church Street Private Bag X 44 MOGWADI 0715 Telephone: (015) 501 0243/4

Telephone: (015) 501 0243/4

Fax no: (015) 501 0419

E-mail: info@molemole.gov.za



#### MOREBENG BRANCH OFFICE

25 Cnr. Roets & Vivirers Street MOREBENG 0810

Telephone : (015) 397 4333 / (015) 397 4327

Fax no : (015) 397 4334

www.molemole.gov.za

ALL CORRESPONDENCE TO BE ADDRESSED TO THE MUNICIPAL MANAGER

Enquiries: Mashatola D

Reference: 8/1/6 TECH

NOT A CONTROL OF THE PROPERTY OF A CONTROL OF THE CONTROL OF THE PROPERTY OF T

01 November 2016

### REQUEST FOR QUOTATION

Molemole municipality is hereby inviting quotations from prospective service providers who are registered on the Central Supplier Database (CSD) for the maintenance of Nthabiseng Storm Water Control as per the below Specification.

| Description   | Unit           | Quantity | Rate | Amount    |
|---|----------------|----------|------|-----------|
| 1.Social Obligations  |                | -        |      |           |
| (a) Provisional Sum for the payment of the CLO (R3000.00)   | Prov. Sum      | 1        |      | R 6000-00 |
| Handling Cost of the Above Item.  | %              |          |      | R 600-00  |
| (a) Provisional Sum for Cost of attending<br>Project Steering Committee meetings (3<br>committee members R900.00) | Prov. Sum      | 1        |      | R 900-00  |
| Handling Cost of the Above Item.  | %              |          |      | R 90-00   |
| 2.Prefabricated Culverts  |                |          |      |           |
| 1. Excavation:  |                |          |      |           |
| Excavating materials situated within the following depth ranges below the surface level:                          |                |          |      |           |
| (i) 0m up to 2.5m   | m³             | 185      |      |           |
| 2. Backfilling and compaction to 95% MOD ASHTO using the following:   |                |          |      |           |
| (a) Excavated Materials   | m <sup>3</sup> | 34       |      |           |
| (b) Imported Materials  | m³             | 68       |      |           |
| 3. Concrete Pipe Culverts:  |                |          |      |           |

Vision: A developmental people driven organization that serves its people"

Mission: To provide essential and sustainable services in an efficient and effective manner.

| (b) on Class B bedding:   |                |     |             |  |
|---|----------------|-----|-------------|--|
|   |                |     |             |  |
| (ii) 900mm dia. (Class 100D)  | m              | 40  |             |  |
| 4. Cast in-situ Concrete and Formwork: in 150mm inlet and outlet structures, skewed ends, wing walls, catchpits, thrust and anchor blocks Class U2 finish for (i) Class 25/19 concrete and concrete testing [L.I] | m <sup>3</sup> | 10  |             |  |
| 3. Reinforcing Steel using: [L.l]   |                |     |             |  |
| (a) Welded Steel Fabric - Mesh Ref. No.<br>880  | kg             | 40  |             |  |
| (b) Welded Steel Fabric - Mesh Ref. No. 395   | kg             | 160 | -           |  |
| (c) Welded Steel Fabric - Mesh Ref. No. 193   | kg             | 18  |             |  |
| 4. MASS EARTHWORKS  |                |     |             |  |
| (a) Pavement layers constructed from gravel taken from cut or borrow, including free-haul up to 6,0 km  |                |     |             |  |
| (a) Gravel sub base layer compacted to:   |                |     |             |  |
| (i) 93% of modified AASHTO<br>density, compacted layer<br>thickness 150mm   | m³             | 144 |             |  |
| (c) Gravel base (unstabilized gravel) compacted to:   |                |     |             |  |
| (ii) 95% of modified AASHTO density, compacted layer thickness 150 mm   | m³             | 72  |             |  |
| (d) Shape and Re-Shape in-situ ground material to be in-line with the stream natural flow level [L.I]   | m²             | 200 |             |  |
| 5. ROAD SIGNS [L.I]   |                |     |             |  |
| Aluminium sheet regulatory warning and information signs with Steel Support (Bridge Ahead Sign not exceeding 2 m2)  | No             | 2   |             |  |
| Retro reflective danger plates double sided with steel support (Red and White)  | No.            | 2   |             |  |
| 6.CLEANING AND FINISHING OFF [L.I]  |                |     | <del></del> |  |

and the second second control of the second second

| Cleaning, finishing-off and Rehabilitation of the site after construction of the works | No. | 1 |  |
|--|-----|---|--|
| Sub-Total  |     |   |  |
| V.A.T @ 14 %   |     |   |  |
| Total project cost (Including V.A.T)   |     |   |  |

Note: the items indicated [L.I] are Labour Intensive method of construction.

# The following documentation should accompany your quotations:

- a) Central Supplier Database(CSD) Summary Report;
- b) Completed declaration of interest form (downloadable from municipal website);
- c) An original or certified copy of valid BBBEE certificate;
- d) An original or certified copy of valid TAX certificate;
- e) Fully completed and signed MBD 9 form (downloadable from www.molemole.gov.za);

## The following conditions will apply:

- a) Quotation must be on an official letterhead of the company;
- b) Price(s) quoted must be valid for at least thirty (30) days from the date of this offer:
- c) Price (s) must be firm and inclusive of VAT;
- d) Delivery must be made within 14 days. Failure to deliver within 14 day may result in the municipality cancelling its order;
- e) Quotations will be evaluated on 80/20 preference point system. Whereas 80 points will be for price and 20 for preference as per PPPFA of 2000, BBBEEA of 2003 and preferential procurement regulation of 2001;
- f) Payment will be effected within 30 days of receipt of invoice.

Kindly direct all technical enquiries to Mr. Hlungwani DG at 015 501 0243 between 08:00 and 16:00. All quotations should be submitted at Mogwadi Municipal Tender Box by the latest 10<sup>TH</sup> November 2016 at 11:00, clearly marked "NTHABISENG STORMWATER CONTROL". No quotation will be accepted after the closing date.

Molemole municipality reserves the right to accept any quotation.

Mr. MáKhura N.I MUNICIPAL MANAGER

Vision: A developmental people driven organization that serves its people"